SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD PETITION FOR VARIANCE

(Attach additional pages, if needed)

(Attach additional pages, if needed)	
Petitioner:	
Mailing Address:	
E-Mail Address:	
Telephone #: Fax #:	
Name of person authorized to receive notices: (Name of Individual)	Petition No:
Organization Name:	D . E'll 1
Mailing Address:	Fee Paid:
E-Mail Address:	Receipt No.:
Telephone #: Fax #:	
Description of Business Activity:	
Ownership Status: Sole Proprietor Partnership Corporation	
Equipment Address:	
Detailed Description of Affected Process and Equipment Involved:	
90-Day Variance - 90 days maximum gran Interim & Regular Variance- Interim portion valid through date of Hearing on regular portion Regular Variance- 1 year maximum Required Requirements Requiremen	uest permit revocation or variance revocation. uest hearing board decision be reheard uest variance modification er:
f) Provide amount of allowable emissions associated with equipment a non-compliance (provide calculation basis):	
g) Supporting documents may be attached (indicate name and number	submitted):
The undersigned, under penalty of perjury, states that the above petition as	nd the items therein set forth are true and correct.
Date: Petitioner:	
	Signature

DATE/TIME STAMP

PETITION NOT VALID UNLESS ACCOMPANIED BY FILING FEE AND COMPLETED "FACTS TO SUPPORT FINDINGS" FORM

MAIL THE COMPLETED PETITION FORM, FINDINGS FORM, AND APPROPRIATE FILING FEE TO:

CLERK OF THE APCD HEARING BOARD COUNTY OF SAN DIEGO 1600 PACIFIC HIGHWAY, ROOM 402 SAN DIEGO, CA 92101

TELEPHONE: 619-531-5777 **FAX**: 619-531-6098

E-MAIL: <u>kellie.kellogg@sdcounty.ca.gov</u>

FOR ASSISTANCE IN COMPLETING THE PETITION AND GENERAL INFORMATION CONCERNING THE VARIANCE PROCESS, CONTACT:

HEIDI GABRIEL-PACK SAN DIEGO AIR POLLUTION CONTROL DISTRICT 10124 OLD GROVE ROAD SAN DIEGO, CA 92131

TELEPHONE: 858-586-2657 FAX: 858-586-2651

E-MAIL: heidi.pack@sdcounty.ca.gov

For the Appropriate Filing Fee see District Rule 42

Clerk of the Board Variance Information